

# RaTaTa<sup>®</sup> MIXED BAIT



Ready-to-use special rodenticide bait mixture of loose bait and granules that satisfies all physiological needs related to the feeding of rats and mice. Specially recommended at places where there is a lot of alternative food available for the rodents. Available in plastic trays covered with aroma permeable foil to use without opening for bait boxes or in different bulk packages.

**ACTIVE INGREDIENT:** 0.0027 % bromadiolone

## PHYSICAL PROPERTIES, APPEARANCE:

**APPEARANCE:** mixture of blue coloured loose bait and red coloured granules

**ODOUR:** no odour

**SOLUBILITY:** insoluble in water

**FLAMMABILITY:** combustible

## TOXICOLOGY

ACUTE ORAL (rat) LD<sub>50</sub> > 2 000 mg/kg b.w.

ACUTE DERMAL (rat) LD<sub>50</sub> > 2 000 mg/kg b.w.

**Antidote:** Vitamin K1

## ADVANTAGES

- Contains second generation anticoagulant active ingredient.
- A single consumption is enough for the elimination of rodents.
- Low active ingredient content.
- Rodents will find it more quickly and consume it more certainly than the traditional baits.
- Coloured bait with bitter agent to avoid accidental consumption by humans and domestic animals.

## PRODUCT FOR PROFESSIONAL USE

**STABILITY/ SHELF LIFE:**  
2 years from date of manufacture, if stored in original unopened packaging in a dry and cool place

## PACKING:

KS-11162	 64x75 g tray	 30 cartons
KS-11159	 4 kg	 80 buckets
KS-11160	 12 kg	 40 buckets



# RaTaTa<sup>®</sup> MIXED BAIT



## What is RaTaTa<sup>®</sup> rodenticide bait?

The special mixture of RaTaTa<sup>®</sup> bait assures both an excellent taste (the "loose grains" part) and the necessary surfaces to chew on (the "granules" part). Consequently, rodents will find RaTaTa<sup>®</sup> bait much quicker and consume it more readily than traditional baits.



RaTaTa<sup>®</sup> is a novel and special rodenticide bait mixture that satisfies all physiological needs related to the feeding of rats and mice. As a result, the bait irresistibly attracts the rodents, while allowing their quick and sure elimination. The use of the bait is specially recommended at places where there is a lot of food available for the rodents. The bait contains an extremely bitter substance called Bitrex which helps to prevent accidental consumption by humans, domestic and farm animals.


Due to the delayed action of the bromadiolone anticoagulant active ingredient, RaTaTa<sup>®</sup> rodenticide bait exerts its effect several days after ingestion of the lethal dose. It is essential in order to obtain the perfect effect, as rodents which are rather shy thus cannot relate the cause of their disease to the consumption of the bait. It will ensure that the bait is consumed not by some rodents only but also their companions.

## When to use RaTaTa<sup>®</sup> rodenticide bait?

RaTaTa<sup>®</sup> bait should be placed as soon as the first signs of rodents are detected. Any delay in bait placement will render their control more difficult and will imply additional charges and time.



# RaTaTa<sup>®</sup> MIXED BAIT



## INSTRUCTIONS FOR USE:

### TRAY WITH AROMA PERMEABLE FOIL

Place the trays containing the rodenticide bait – without opening filter-paper covering – to the locations visited by rats, near the runs and supposed hiding places of rodents, so that the baits are out of the reach of children, domestic animals and birds. Around the buildings place the rodenticide in locations that are protected from the rain.

Place out 1 tray containing the rodenticide bait for every 7-10 metres to control rats.

### IN BULK

Place the rodenticide bait in the container intended for this purpose to the locations visited by mice and rats, near the runs and supposed hiding places of rodents.

In the case of bulk packs use a suitable respirator when pouring the product.

Amount to be used depending on the degree of infestation:

- 50-100 grams per 5 m<sup>2</sup> to control mice,
- 200-250 grams for every 7-10 metres to control rats.

The bait-container boxes used for placing out the rodenticide must be labelled with a conspicuous sign on which the following should be indicated: name of the rodenticide, its active ingredient, its antidote and name, address and phone number of the applicator.

Rodents start to die 4-5 days after consumption. Check the bait placed out every 4-7 days and replace the consumed and/or carried away bait. Remove contaminated or expired baits and replace them by fresh products. Continue placing out the baits until rodents disappear completely. If the baits remain intact but the rodents are still present, transfer the rodenticide to somewhere else. Depending on the rate of their infestation and the size of the area you can expect extermination of all the rodents in 2-3 weeks.

## Warning:

Read the instructions before use!

It can only be used for rodent control and according to the instructions for use!

The placed out rodenticide bait must always be labelled with a warning sign. After placing the baits wash your hands carefully with warm water and soap.

Put the bait in areas where children, domestic animals, livestock and birds do not have access to them. The preparation is toxic for mammals and birds. Dogs, cats, pigs and other predator and/or scavenger animals may get poisoned if they eat rats or mice that died or had become ill from the rodenticide. It is forbidden to use the preparation to control non-target animals. It is forbidden to let the preparation enter surface waters.

The safety data sheet is available for professional pest controllers.

